

**Check-list of Blattaria, Mantodea, Orthoptera and Dermaptera
of the Czech and Slovak Republics**

Petr Kočárek, Jaroslav Holuša & L'ubomír Vidlička

Abstract

The list of all 14 Blattaria, 1 Mantodea, 124 Orthoptera and 7 Dermaptera recognized species of the Czech and Slovak Republics is presented including the information about their presence in the individual historical countries.

In the territory of the Czech Republic the first works about orthopteroid insects were published in the middle of the 19th century (SEIDL 1836, FIEBER 1853). These studies were followed by several studies dated around the beginning of the 20th century (KREJČÍ 1896, 1903, HAURY & NICKERL 1905, CZIŽEK 1905, 1915, 1917, ZACHER 1907, 1913). In Slovakia orthopteroid insects were studied initially by Austria-Hungarian authors (FRIWALDSKY 1867, PUNGUR 1891, 1899, CHYZER 1897 and EBNER 1914). After the comprehensive monograph (OBENBERGER 1926) the research of orthopteroid insects increased and till 1998 nearly 500 works were published. The only check-list was completed by MAŘAN & ČEJCHAN (1977).

From that time the number of species increased, which is based partly on the discovery of new species and partly on the inclusion of species that were previously overlooked. Beside that several species were described and there were some taxonomic and nomenclatoric changes. On the other hand some species have probably extinct.

The Check-list is based especially on recent findings and on the revision of specimens deposited in the majority of important museums and private collections. Old data from the literature were accepted only in species, which occurrence is possible regarding to their known geographic distribution. Species not documented with relevant collection specimens are marked by ?, specimens not found after 1965 are marked by †. Within each families and subfamilies, the names are listed alphabetically.

The Czech Republic is traditionally divided into two main countries (Fig. 1): Bohemia and Moravia (including the Czech part of Silesia). We have accepted this division commonly used in the Czech faunistic and floristic works.

The classification of Orthoptera has been based on the recent European Check-list (HELLER et al. 1998), the classification of Blattaria has been adopted from PRINCIS (1960) and the classification of Dermaptera from STEINMANN (1989).

Abbreviations:

B - Bohemia

M - Moravia

S - Slovakia

† - old data, species not recorded after 1965

? - disputed data, the occurrence is necessary to confirm

ि - introduced species

० - synantropic species

List of References

- CZIŽEK, K. (1905): Die Heuschrecken Mährens. VI. Ber. Abh. Klubs Naturk. Brünn 6(1903-1904): 79-83.
- CZIŽEK, K. (1915): Gerafflügler, Orthoptera. X. Ber. Lehrerklubs Naturk. Brünn (Sektion des Brünner Lehrervereines) 10(1909-1914): 1-3.
- CZIŽEK, K. (1917): Beiträge zur Kenntnis und Verbreitung der Heuschrecken Mährens I. Verh. Naturf. Ver. Brünn 15: 129-133.
- CHYZER, K. (1897): Zemplénvármegye Orthopterái. [Orthoptera of the Zemplén (=Zemplín) district]. Rovart. Lap. 4: 99 - 101 [in Hungarian].
- EBNER, R. (1914): Beiträge zur Kenntnis der Orthopteren-Fauna von Oesterreich-Ungarn. Int. Entomol. Ztschr., Guben 7: 309 - 312.
- FIEBER, F. X. (1853): Synopsis der europäischen Orthopteren mit besonderer Rücksicht auf die in Böhmen vorkommenden Arten als Auszug aus dem zum Drucke vorliegenden Werke "Die europäischen Orthoptera". Lotos 3: 90-104, 115-129, 138-154, 168-176, 184-188, 201-207, 232-238, 252-261.
- FRIVALDSZKY, J. (1867): A magyarországi egyenesröpök magánrajza (Monographia Orthopterorum Hungariae). Eggenberger. Pest. 201 S. [in Hungarian].
- HAURY, C. & NICKERL, O. (1905): Verzeichnis der Insekten Böhmens VII. Gerafflügler (Orthoptera). Verl. Gesell. Physiokratie Böhm. Praha. 20 S.
- HELLER, K.-G., KORSUNOVSKAYA, O., RAGGE, D.R., VEDENINA, V., WILLEMSE, F., ZHANTIEV, R. D. & FRANTSEVICH, L. (1998): Check-list of European Orthoptera. Articulata, Beiheft 7: 1-61.
- KREJČÍ, A. (1896): Přehled českých Orthopter. [A survey of Bohemian Orthoptera]. Věstník Král. České společ. Nauk., Třída II. 1896: 9 S. [in Czech].
- KREJČÍ, A. (1903): Doplňky k „Přehledu českých Orthopter“ z r. 1896. [Additions to „A survey of Bohemian Orthoptera“ from 1896]. Věstník Král. České společ. Nauk, Třída II. 1903: 2 S. [in Czech].
- MARÁN, J. & ČEJCHAN, A. (1977): Enumeratio Insectorum Bohemoslovakiae Blattoptera - Mantoptera - Dermaptera - Orthoptera. Acta Faun. Ent. Mus. Nat. Pragae 15(Suppl. 4): 35 - 39 [in German].
- OBENBERGER, J. (1926): Rovnokřídly hmyz (Orthoptera a Dermaptera) republiky Československé. [Orthoptera and Dermaptera of the Czechoslovak republic]. Fauna et Flora Čechoslovenica I. Česká akademie věd a umění. Praha. 234 S. [in Czech].
- PRINCIS, K. (1960): Zur Systematik der Blattarien. Eos, Revista Española de Entomología, 36(4): 427-449.
- PUNGUR, G. (1891): A Magyarországi tűcskökfélék természettáraja (Histoire naturelle des Grylides de Hongrie). Magyar természettudományi társulat. Budapest. Kir. 95 S. [in Hungarian and Latin].
- PUNGUR, J. (1899): Ordo Orthoptera. Fauna Regni Hungariae - A Magyar birodalom állatvilága, Regia Societas scientiarum naturalium hungarica. Budapest. 16 S. [in Hungarian and Latin].
- SEIDL, W. (1836): Die Orthopteren Böhmens. Weitenwebers Beiträge zur gesammten Naturk. u. Heilwissensch 1(8): 205-223.
- STEINMANN, H. (1989): World Catalogue of Dermaptera. Akadémiai Kiadó, Budapest & Kluwer Academic Publishers, Dordrecht. Boston & London. 934 S.

ZACHER, F. (1907): Beitrag zur Kenntnis der Orthopteren Schlesiens. Ztsch. Wiss. Insektenbiol. 3(6): 179-185, 3(7): 211-217.

ZACHER, F. (1913): Nachtrag zur Kenntnis der schlesischen Orthoptera. Ztsch. Wiss. Insektenbiol. 9: 161-163.




Fig. 1.: Map showing the borders of the regions mentioned in the check-list

Authors:

Mgr. Petr Kočárek
Department of Ecology
Palacký University
Svobody 26
CZ-77146 Olomouc
email: kocarek@email.cz

Ing. Jaroslav Holuša
Forestry and Game Management Research Institute Jíloviště-Strnady
Office Frýdek-Místek
Pionýrů 1758
CZ-73802 Frýdek-Místek
email: holusajar@post.cz

RNDr. Ľubomír Vidlička, CSc.
Institute of Zoology
Slovak Academy of Sciences
Dúbravská cesta 9
SK-84206 Bratislava
email: vidlicka@usaebu.sk

BLATTARIA

Blattidae

Blatta orientalis Linnaeus, 1758
Periplaneta americana (Linnaeus, 1758)

B^{s,i} M^{s,i} S^{s,i}
B^{s,i} M^{s,i} S^{s,i}

<i>Periplaneta australasiae</i> (Fabricius, 1775)	B ^{s,i}	M ^{s,i}	S ^{s,i}
<i>Periplaneta brunnea</i> Burmeister, 1838	B ^{s,i}		
Blattelidae			
<i>Blatella germanica</i> (Linnaeus, 1767)	B ^{s,i}	M ^{s,i}	S ^{s,i}
<i>Supella longipalpa</i> (Fabricius, 1798)	B ^{s,i}		
Ectobiidae			
<i>Ectobius erythronotus nigricans</i> Ramme, 1923		M	S
<i>Ectobius laponicus</i> (Linnaeus, 1758)	B	M	S
<i>Ectobius sylvestris</i> (Poda, 1761)	B	M	S
<i>Phyllodromica harzi</i> Chládek, 1977			S
<i>Phyllodromica hungarica</i> Vidlička, 1993			S
<i>Phyllodromica chladeki</i> Harz, 1977			S
<i>Phyllodromica maculata maculata</i> (Schreber, 1781)	B	M	S
<i>Phyllodromica maculata schaefferi</i> (Gmelin, 1790)			S
<i>Phyllodromica megerlei megerlei</i> Fieber, 1853	B	M	S

MANTODEA

Mantidae

<i>Mantis religiosa</i> Linnaeus, 1758	B [†]	M	S
--	----------------	---	---

ORTHOPTERA

Ensifera

Tettigonioidea

Tettigoniidae

Phaneropterinae

<i>Barbitistes constrictus constrictus</i> Br. v. Wattenwyl, 1878	B	M	S
<i>Barbitistes serricauda serricauda</i> (Fabricius, 1798)	B ^{†,?}	M	S
<i>Isophya beybienkoi</i> Mařan, 1958			S
<i>Isophya brevipennis</i> Brunner von Wattenwyl, 1878			S
<i>Isophya camptoxypha</i> (Fieber, 1853)			S
<i>Isophya kraussi</i> Brunner von Wattenwyl, 1878	B	M	S
<i>Isophya posthumoidalis</i> Bazyluk, 1971			S
<i>Isophya stysi</i> Čejchan, 1957			S
<i>Leptophyes albovittata</i> (Kollar, 1833)	B	M	S
<i>Leptophyes boscii</i> Fieber, 1853	B		S
<i>Leptophyes discoidalis</i> (Frivaldszky, 1867)			S
<i>Leptophyes punctatissima</i> (Bosc, 1792)	B		
<i>Phaneroptera falcata</i> (Poda, 1761)		M	S
<i>Phaneroptera nana nana</i> Fieber, 1853			S
<i>Poecilimon fussi</i> Brunner von Wattenwyl, 1878			S
<i>Poecilimon intermedius</i> (Fieber, 1853)		M	S
<i>Poecilimon schmidtii</i> (Fieber, 1853)			S
<i>Polysarcus denticauda</i> (Charpentier, 1825)	B [†]	M	S

Meconematinae

<i>Meconema thalassinum</i> (Degeer, 1773)	B	M	S
--	---	---	---

Conocephalinae			
<i>Conocephalus fuscus</i> (Fabricius, 1793)	B	M	S
<i>Conocephalus dorsalis dorsalis</i> (Latreille, 1804)	B	M	S
<i>Ruspolia nitidula</i> (Scopoli, 1786)		M [†]	S
Tettigoniinae			
<i>Decticus verrucivorus verrucivorus</i> (Linnaeus, 1758)	B	M	S
<i>Gampsocleis glabra</i> (Herbst, 1786)		M [†]	S
<i>Metrioptera bicolor bicolor</i> (Philippi, 1830)	B	M	S
<i>Metrioptera brachyptera</i> (Linnaeus, 1758)	B	M	S
<i>Metrioptera roeselii roeselii</i> (Hagenbach, 1822)	B	M	S
<i>Pachytrachis gracilis</i> (Brunner von Wattenwyl, 1861)		M	S
<i>Pholidoptera aptera aptera</i> (Fabricius, 1793)		M	S
<i>Pholidoptera aptera bohemica</i> Mařan, 1953	B		
<i>Pholidoptera aptera slovaca</i> Mařan, 1953			S
<i>Pholidoptera fallax</i> (Fischer, 1853)		M [†]	S
<i>Pholidoptera frivaldszkyi</i> (Herman, 1871)			S
<i>Pholidoptera griseoaptera</i> (Degeer, 1773)	B	M	S
<i>Pholidoptera transylvanica</i> (Fischer, 1853)			S
<i>Platycleis affinis affinis</i> Fieber, 1853			S
<i>Platycleis albopunctata albopunctata</i> (Goeze, 1778)	B		
<i>Platycleis albopunctata grisea</i> (Fabricius, 1781)	B	M	S
<i>Platycleis montana montana</i> (Kollar, 1833)		M	S
<i>Platycleis vittata</i> (Charpentier, 1825)		M	S
<i>Pterolepis germanica</i> (Herrich-Schäffer, 1840)			S [†]
<i>Tettigonia cantans</i> (Füssli, 1775)	B	M	S
<i>Tettigonia caudata caudata</i> (Charpentier, 1842)	B	M	S
<i>Tettigonia viridissima</i> Linnaeus, 1758	B	M	S
Saginae			
<i>Saga pedo pedo</i> (Pallas, 1771)		M	S
Bradyporinae			
<i>Ephippiger ephippiger vitium</i> (Serville, 1831)		M	S
Gryllacridoidea			
Rhaphidophoridae			
Rhaphidophorinae			
<i>Tachycines asynamorus</i> Adelung, 1902	B ^{s,i}	M ^{s,i}	S ^{s,i}
Troglophilinae			
<i>Troglophillus cavicola</i> (Kollar, 1833)			M ⁱ
Grylloidea			
Grylloidae			
Grylotalpidae			
<i>Grylotalpa grylotalpa</i> (Linnaeus, 1758)	B	M	S
Myrmecophilidae			
<i>Myrmecophilus acervorum</i> (Panzer, 1799)	B	M	S
Gryllidae			
Nemobiinae			
<i>Nemobius sylvestris sylvestris</i> (Bosc, 1792)	B	M	S

<i>Pteronemobius heydenii</i> (Fischer, 1853)	M	S
Gryllinae		
<i>Acheta domesticus</i> (Linnaeus, 1758)	B ^{s,i}	M ^{s,i} S ^{s,i}
<i>Eumodicogryllus bordigalensis bordigalensis</i> (Latreille, 1804)		M [†] S
<i>Gryllus campestris</i> Linnaeus, 1758	B	M S
<i>Melanogryllus desertus</i> (Pallas, 1771)		S
<i>Modicogryllus frontalis</i> (Fieber, 1844)	B	M S
Oecanthinae		
<i>Oecanthus pellucens pellucens</i> (Scopoli, 1763)	B	M S
Caelifera		
Tridactyloidea		
Tridactylidae		
<i>Xya pfaendleri pfaendleri</i> (Harz, 1970)	M [?]	S
<i>Xya variegata</i> Latreille, 1809	M	S
Tetridoidea		
Tetrigidae		
<i>Tetrix bipunctata</i> (Linnaeus, 1758)	B	M S
<i>Tetrix bolivari</i> Saulcy, 1901		M [†] S
<i>Tetrix ceperoi ceperoi</i> (Bolivar, 1887)	B [†]	S
<i>Tetrix fuliginosa</i> (Zetterstedt, 1828)		S
<i>Tetrix subulata</i> (Linnaeus, 1758)	B	M S
<i>Tetrix tenuicornis</i> Sahlberg, 1893	B	M S
<i>Tetrix tuerki tuerki</i> (Krauss, 1876)	B [†]	M S
<i>Tetrix undulata</i> (Sowerby, 1806)	B	M S
Acridoidea		
Acrididae		
Calliptaminae		
<i>Calliptamus barbarus barbarus</i> (Costa, 1836)		S
<i>Calliptamus italicus</i> (Linnaeus, 1758)	B	M S
Cyrtacanthacrididae		
<i>Anacridium aegyptium</i> (Linnaeus, 1764)	B ^{t,i}	M ^{t,i} S ^{t,i}
Melanoplinae		
<i>Miramella alpina alpina</i> (Kollar, 1833)	B	M S
<i>Miramella ebneri carpathica</i> Čejchan, 1958		S
<i>Odontopodisma rubripes</i> Ramme, 1931		S
<i>Odontopodisma decipiens decipiens</i> Ramme, 1951		S
<i>Podisma pedestris pedestris</i> (Linnaeus, 1758)	M [†]	S
<i>Pseudopodisma nagyi</i> Galvagni & Fontana, 1996	M	S
<i>Pseudopodisma transilvanica</i> Galvagni & Fontana, 1993		S
Catantopinae		
<i>Pezotettix giornae</i> (Rossi, 1794)		S
Acridinae		
<i>Acrida ungarica ungarica</i> (Herbst, 1786)	M ^{†,?}	S
Oedipodinae		
<i>Acrotylus insubricus insubricus</i> (Scopoli, 1786)		S

<i>Acrotylus longipes longipes</i> (Charpentier, 1845)		S
<i>Aiolopus strepens strepens</i> (Latreille, 1804)		S [†]
<i>Aiolopus thalassinus thalassinus</i> (Fabricius, 1781)	M	S
<i>Celes variabilis variabilis</i> (Pallas, 1771)	M [†]	S [†]
<i>Epacromius coerulipes</i> (Ivanov, 1887)		S [†]
<i>Mecostethus parapleurus parapleurus</i> (Hagenbach, 1822)	M [†]	S
<i>Oedaleus decorus decorus</i> (Germar, 1826)	M [†]	S
<i>Oedipoda caerulescens caerulescens</i> (Linnaeus, 1758)	B	M
<i>Oedipoda germanica germanica</i> (Latreille, 1804)	B	S
<i>Psophus stridulus stridulus</i> (Linnaeus, 1758)	B	M
<i>Sphingonotus caeruleans cyanopterus</i> Charpentier, 1825		M
<i>Sphingonotus caeruleans caeruleans</i> (Linnaeus, 1767)	B	M
<i>Stethophyma grossum</i> (Linnaeus, 1758)	B	S
Gomphocerinae		
<i>Acryptera fusca</i> (Pallas, 1773)		M [†]
<i>Acryptera microptera microptera</i> (Fischer de Waldheim, 1833)	M	
<i>Dociostaurus brevicollis</i> (Eversmann, 1848)	M	S
<i>Euchorthippus declivus</i> (Brisout de Barneville, 1849)	M	S
<i>Euchorthippus pulvinatus pulvinatus</i> (F. de Waldheim, 1846)	B	M
<i>Euthystira brachyptera brachyptera</i> (Ocskay, 1826)	B	M
<i>Gomphocerippus rufus</i> (Linnaeus, 1758)	B	M
<i>Chorthippus albomarginatus albomarginatus</i> (Degeer, 1773)	B	M
<i>Chorthippus apricarius apricarius</i> (Linnaeus, 1758)	B	M
<i>Chorthippus biguttulus biguttulus</i> (Linnaeus, 1758)	B	M
<i>Chorthippus biguttulus hedickei</i> Ramme, 1942	M	S
<i>Chorthippus brunneus brunneus</i> (Thunberg, 1815)	B	M
<i>Chorthippus dichrous</i> (Eversmann, 1859)	M	S
<i>Chorthippus dorsatus dorsatus</i> (Zetterstedt, 1821)	B	M
<i>Chorthippus mollis mollis</i> (Charpentier, 1825)	B	M
<i>Chorthippus montanus</i> (Charpentier, 1825)	B	M
<i>Chorthippus parallelus parallelus</i> (Zetterstedt, 1821)	B	M
<i>Chorthippus pullus</i> (Phillipi, 1830)	B	M
<i>Chorthippus scalaris scalaris</i> (Fischer de Waldheim, 1846)		S
<i>Chorthippus tatrae</i> (Harz, 1971)		S
<i>Chorthippus vagans</i> (Eversmann, 1848)	B	M
<i>Chrysocraon dispar dispar</i> (Germar, 1834)	B	M
<i>Myrmeleotettix antennatus</i> (Fieber, 1853)		S
<i>Myrmeleotettix maculatus maculatus</i> (Thunberg, 1815)	B	M
<i>Omocestus haemorrhoidalis haemorrhoidalis</i> (Charpentier, 1825)	B	M
<i>Omocestus petraeus</i> (Brisout de Barneville, 1856)	M	S
<i>Omocestus rufipes</i> (Zetterstedt, 1821)	B	M
<i>Omocestus viridulus</i> (Linnaeus, 1758)	B	M
<i>Stenobothrus crassipes</i> (Charpentier, 1825)	B	S

<i>Stenobothrus eurasius bohemicus</i> Mařan, 1958	B	
<i>Stenobothrus eurasius slovacus</i> Mařan, 1958		S
<i>Stenobothrus fischeri</i> (Eversmann, 1848)		S
<i>Stenobothrus lineatus lineatus</i> (Panzer, 1796)	B	M S
<i>Stenobothrus nigromaculatus nigromaculatus</i> (Herrich-Schäffer, 1840)	B	M S
<i>Stenobothrus rubicundulus</i> Kruseman & Jeekel, 1967		M [†]
<i>Stenobothrus stigmaticus stigmaticus</i> (Rambur, 1838)	B	M S

DERMAPTERA

Labiduridae

<i>Labidura riparia</i> (Pallas, 1773)	B	M	S
--	---	---	---

Spongiphoridae

<i>Labia minor</i> (Linnaeus, 1758)	B	M	S
-------------------------------------	---	---	---

Forficulidae

<i>Anechura bipunctata</i> (Fabricius, 1781)		M	S
--	--	---	---

<i>Apterygida media</i> (Hagenbach, 1822)	B	M	S
---	---	---	---

<i>Forficula auricularia</i> Linnaeus, 1758	B	M	S
---	---	---	---

<i>Chelidurella acanthopygia</i> (Gené, 1832)		M	S
---	--	---	---

<i>Chelidurella guentheri</i> Galvagni, 1994	B	M	
--	---	---	--